

Florence Mussat M.D.,S.C.  
680 N Lake Shore Drive Suite 1030  
Chicago, IL 60611  
Fmussatmd@msn.com  
Office (312)751-9000 Fax (773)868-3700

## **MEDICATIONS TO BE DISCONTINUED 2 WEEKS PRIOR TO SURGERY**

If a medical doctor has prescribed a drug for you that is on this list, please notify that doctor before stopping your medication.

Please inform Dr. Florence Mussat or her staff of **any** and **all** medications that you are taking. This includes all vitamins supplements and homeopathic medication.

Following surgery these medications should not be resumed without notifying Dr. Florence Mussat or her staff first.

If you have any questions regarding medications, including over-the-counter products interfering with surgery, please consult our office, your medical doctor or pharmacist.

### **ASPIRIN COMBINATIONS**

Bufferin	Fioranal
Easprin	Darvon
Ecotrin	Lortab
Excedrin	Nogestic
Ascriptin	Aspergum

### **ANTI-PYRETICS**

Aleve  
Feverall  
Trilisate

### **ASPIRIN WITH ANTIACID**

Alka-Seltzer

### **ANTI-INFLAMMATORIES**

Advil	Anacin
Aleve	Empirin
Anaprox	Bufferin
Cataflam	Bayer
Clinoril	Entab-650
Dolobid	Indomethacin
Feldene	Indocin
Ibuprofen	Midol
Lodine	Nalfon

### **ARTHRITIS MEDICATIONS**

Aleve	Tolectin
Anaprox	Voltaren
Ansaid	Mono-gesic
Cataflam	Myochrysin
Clinoril	Ridaura
Daypro	Sologana
Dolobid	Sal-flex
Ecotrin	Feldene
Motrin	Lodine
Indocin	Naprosyn
Orudis	Oruvail
Telectin	Toradol

PATIENT INITIALS: \_\_\_\_\_

## MIGRAINE PREPARATIONS

Imitrex	Fiorinal
Blocadren	Darvon
Ergomar	Ergostat
Cafergot	Midrin
Migrilam	Sansert
Sansert	Sigraine

## TOPICAL PREPARATIONS

Absorbent Rub	Methalatum
Absorbine	Infraub
Acton-Rub	Solitice
Ben Gay	Oil-O-Sol
Doan's Rub	Panagesic
Exocaine Plus	Stimurub
Icy Hot	Surin
HEET	Yager's Lin
Neurabain	Zemo Liquid
Sloan's	

## PLATELET INHIBITORS

Aspirin	Halfprin
Baby Aspirin	Persantine
Bufferin	Tielid
Ecotrin	

## COLD MEDICATIONS

4-Way Cold Tabs	Pepto-Bismol
Vanquish	Dristan
Alka-Seltzer	Sine-off
Quiet World Analgesic	
St. Joseph's for children	

## OTHER PRODUCTS CONTAINING ASPIRIN

ACA Caps	Ascriptin	Buff-a-comp	Darvon
APAC Acetonyl	Aspadine	Buffadyne	Darvo-Tran
Aidant	Aspergum	Bufferin	Dasikon
Alka-Seltzer	Asphac	Buffinol	Dasin Caps
Allysgesic	Asphencaf	Calurin	Decagesic
Apamead	Asphyte	Cama Inlay	Delenar
APC	Aspirbar	Capron	Derfort
Aphodyne	Aspir-C	Causalin	Defule
Aphophen	Aspireze	Cephalgesic	Dolcin
Arthra-Zene	Aspirin (USP)	Cheracol	Dolene
ASA	Aspirin	Cirin	Dolor
Asalco	Aluminum	Clistanal	Doloral
Ascolco	Aspirin	Codasa	Dorodol
Ascaphen	Children's	Codemipiral	Drinacet
As-ca-phen	Aspirin	Codesal	Dristan
ACD Acetabar	Asprical	Coldate	Drocogesic
Acetasem	Aspir-phen	Colrex	Duopac
Alprine	Aspodyne	Congesprin	Drocogesic
Aluprin	Axotal	Cope	Ecotrin
Amosdyne	Babylove	Coralson	Empiral
Amytal	Ban-O-pain	Modified	Empiral
Anacin	Bayer	Cordex	Emprazil
Anexia	Brogestic	Coricidin	Empragen
Anadynos	Bufabar	Co-ryd	Equagesic
Ascodeen	Buff-A	Counter pain	Excedrin
	Buffacetin	Convangestic	Fiorinal
Fizrin	Nembu-Gesic	Phenergan	Semaldyne

PATIENT INITIALS: \_\_\_\_\_

Formasal	Nipirin	Phenodyne	Sigmagen
4-Way cold	Norgesic	Pheno-Formasal	Sine-Off
Tabs	Novahistine	Phensal	Spirin Buffered
Gelsodyne	Novrad	Pirseal	Stanback
Grillodyne	Opacidrin	Palygesic	Ster-Darvon
Hasamal CT	Opasal	Ponodyne	St. Joseph
Henasphen	Paadon	Predisal	Supac
Histadyl	Pabirin	Prolaise-B	Super-Anahist
Hypan	PAC	Pyrasal	Synalgos
I-PAN	Palgesic	Pyrshst Cold	Synirin
Kryl	PC-65	Pyrroxate	Tetrex-APC
Liquiprin	Pedidyne	Phinex	Thephorin-AC
Lumasprin	Pentagesic	Robaxisal	Toloxidyne
Marnal	Pentagill	Ryd	Tracogesic
Measurin	Percobarb	Sal-Aceto	Trancoprin
Medadent	Percodan	Sal-Fayne	Triaminicin
Medaprin	Persistin	Salibar Jr	Trigesic
Midol	Phac Tab	Slipral	Triocin
Mltihist	Phenaphen	Sarogesic	Vanquish
Nembudeine	Phencasct	Sedalgesic	Zactirin

**HERBS, FOODS, AND SPICES TO BE AVOIDED**

Agrimony (Agrimonia, cocklebur)	Garlic (stinking rose)	Stinging Nettle (nettle)
Alfalfa	Ginger	Sweet Clover (hay flower)
Angelica (root of the Holy Ghost)	Gingo (maidenhair)	Sweet vernal grass
Anise (aniseed, fum, giant fennel)	Gingseng (Korean red, jintsam)	Tonka bean (coumarouna)
Aspen	Horse Chestnut (escine)	Vitamin E
Black cohosh (bugwort, baneberry)	Horseradish (pepperroot)	Wild carrot
Bogbean (water shamrock)	Licorice (sweet root)	Wild lettuce
Boldo (Boldine)	Meadowsweet (bridewort)	Willow bark
Borage seed oil (starflower)	Northern prickly ash (pepperwood)	Yarrow
Bromelain (bromelin)	Onion	
Capiseum (cayenne, chili pepper)	Papain (Papaya)	
Celery (small age)	Passionflower (apricot vine)	
Clove	Pau d'Arco	
Danshen (red sage)	Plaintain	
Dog quai	Poplar (balm of Gilead)	
European Mistletoe (devil's fudge)	Quassia (bitter wood)	
Fenugreek (bird's foot, Greek hay)	Red Clover (trefoil)	
Feyerfew (midsummer daisy)	Roman chamoline	
Fish Oils (Omega-3 fatty acids)	Safflower (saffron)	
Fucus (kelp, black tang, cutweed)	Southern prickly ash	

**Please also stop all supplemental sports drinks (juices, fuels, etc..) and protein powders 2 weeks prior to your surgery. Your cooperation can help avoid bleeding complications with your surgery. I have read and received a copy of the medications and foods to be avoided prior to surgery.**

**Patient signature** \_\_\_\_\_ **Date** \_\_\_\_\_

PATIENT INITIALS: \_\_\_\_\_